

# Fontana

KNITTING LEAFLET No. 923

## Boy and Girl's Jersey and Cardigan

FONTANA 4-PLY


FONTANA FLEKNIT

FONTANA SILVERTONE

FONTANA DOUBLE TWIST

FONTANA DOUBLE KNIT

FONTANA KNOPNIT





# Raglan Sleeved Jersey and Cardigan

Polo, Crew, V, or Button-to-Neck Cardigan in 5 sizes

CAUTION: Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.

Accurate results can be obtained only by using the FONTANA wool recommended.

## JERSEY

### MATERIALS:

Fontana Double Twist  
or Fontana Double Knit  
or Fontana Knopnit

1st 2nd 3rd 4th 5th  
Size Size Size Size Size

14 15 15 16 17 ozs  
Contrasting shade (if  
desired)

$\frac{1}{2}$   $\frac{1}{2}$   $\frac{1}{2}$   $\frac{1}{2}$   $\frac{1}{2}$  oz

1 pair each Nos 7 and 10

Paragon knitting needles.

### POLO NECK PULL-

OVER: Allow 2 ozs extra  
on the quantities stated  
above for each size.

### MEASUREMENTS:

(Easy fitting garments)

Chest

26 28 30 32 34 ins

Length

15 $\frac{1}{2}$  17 18 $\frac{1}{2}$  19 $\frac{1}{2}$  20 $\frac{1}{2}$  ins

Sleeve seam

(if made with contrasting  
band on cuff)

12 13 $\frac{1}{2}$  14 $\frac{1}{2}$  15 $\frac{1}{2}$  16 ins

Sleeve seam

(if made in one colour with  
turned back cuff)

13 14 $\frac{1}{2}$  15 $\frac{1}{2}$  16 $\frac{1}{2}$  17 ins

TENSION: With No 7 needles.  
10 $\frac{1}{2}$  sts to 2 ins in  
width.

### ABBREVIATIONS:

K, knit; p, purl; sts,  
stitches; ins, inches; inc,  
increase; dec, decrease;  
rep, repeat; cont, continue  
(ing); patt, pattern; rsf,  
right side facing; tog, to-  
gether; sl, slip; psso, pass  
slipped stitch over; tbs,  
through back of stitches;  
rem, remains (ing); stst,  
stocking stitch (right side  
k, wrong side p); beg,  
beginning.

## CREW NECK

THE BACK: Using No  
10 needles, cast on

77 83 87 93 97 sts  
and work in single rib as  
follows:—

1st row: K 1, \* p 1, k 1,  
rep from \* to end.

2nd row: P 1, \* k 1, p 1,  
rep from \* to end.

Rep these 2 rows until  
the work measures

2 2 $\frac{1}{4}$  2 $\frac{1}{2}$  2 $\frac{3}{4}$  3 ins  
ending with a 2nd row and  
inc 1 st at end of last row.  
There are now on needle

78 84 88 94 98 sts  
Change to No 7 needles  
and work in stst until the  
piece measures

9 $\frac{1}{2}$  10 11 11 $\frac{1}{2}$  12 ins  
ending with a p row.

Shape Raglan Armholes:

Cast off at beg of next 2  
rows

2 3 3 3 3 sts

Now work as follows:—

1st row: Sl 1 knitwise,  
p 1, k 2 tog, k until 4 sts  
rem, sl 1, k 1, psso, p 1,  
k 1.

2nd row: Sl 1 knitwise,  
p to the last st, k 1.

Rep these 2 rows until  
there rem on needle

24 26 28 30 32 sts

Leave on a spare needle  
until required.

THE FRONT: Work as  
for the back until there are

40 42 44 48 50 sts  
on needle ending with a p  
row.

Shape Neck: 1st row: Sl  
1 knitwise, p 1, k 2 tog,  
then k.

12 13 14 16 17 sts

then turn and cont on these  
sts for left side. Dec 1 st  
at the neck edge on the next

5 5 5 6 7 rows

at the same time cont to  
dec at armhole edge on  
every right side row as be-  
fore. Now dec at both sides  
on every alternate row until  
all sts have been worked off  
needles. With rsf, return to  
the rem sts and slip the  
centre

8 8 8 8 10 sts

on to a safety pin. Rejoin  
wool to rem sts at neck  
edge and work this side to  
correspond with the side  
already completed.

SLEEVES (with contrast-  
ing band in cuff): Using  
No 10 needles and main  
wool, cast on

41 43 45 45 47 sts

and work in rib as for welt  
of back for 8 rows.

Join in contrasting wool  
and knit the next row, then  
work 3 more rows in rib,  
keeping continuity of rib  
correct. Break off contrast-  
ing wool.

\*\*\* Change to No 7 needles  
and main wool and  
cont in stst inc 1 st at both  
ends of the 7th and every  
following 6th rows until  
there are

49 51 51 53 53 sts

then inc at both ends of  
every 8th row until there  
are

59 63 65 69 71 sts

Cont straight until sleeve  
measures

12 13 $\frac{1}{2}$  14 $\frac{1}{2}$  15 $\frac{1}{2}$  16 ins

or, for sleeve with turned  
back cuff,

13 14 $\frac{1}{2}$  15 $\frac{1}{2}$  16 $\frac{1}{2}$  17 ins

Shape Raglan Top (rsf):

Cast off

1 2 2 2 2 sts

at beg of next 2 rows. Now  
work as follows:—

1st row: Sl 1 knitwise,  
p 1, k 2 tog, k until 4 sts  
rem, sl 1, k 1, psso, p 1,  
k 1.

2nd row: Sl 1 knitwise,  
p to the last st, k 1.

Rep these 2 rows until  
7 sts rem (all sizes) and  
leave on safety pins until  
required.

SLEEVES (Omitting con-  
trasting band and with  
turned back cuff): Using No  
10 needles, cast on

41 43 45 45 47 sts  
and work in single rib as  
for back welt for

2 $\frac{1}{2}$  2 $\frac{3}{4}$  3 3 3 $\frac{1}{4}$  ins

Now work as for sleeve  
directions for sleeves with  
contrasting band from po-  
sition marked \*\*\*.

NECKBAND: Join rag-  
lan seams neatly leaving  
left back seam open. Using  
No 10 needles, contrasting  
wool and with rsf, com-  
mence at left sleeve and k  
across the 7 sts on safety  
pin, then pick up and k

16 17 18 19 20 sts



down left side of neck, k across the sts on safety pin at centre front, then pick up and k

16 17 18 19 20 sts up other side of neck, k the sts from safety pin for other sleeve, then across the sts at back neck. There are now on needle

78 82 86 90 96 sts Work 3 rows in k 1, p 1 rib. Break off contrast, join in main wool and k 1 row, then work 7 rows in rib.

If contrasting band is not desired. Using main wool pick up the number of sts as directed and work 11 rows in rib.

**POLO NECK:** Pick up sts as directed for Crew neck and work in k 1, p 1, rib for

5 5½ 5½ 6 6½ ins For both necklines, cast off VERY LOOSELY IN RIB.

### V-NECK

Work the back and sleeves as for Crew neck pullover.

**THE FRONT:** Work as for the back of Crew neck pullover until the raglan armhole shaping is reached, ending with a p row.

**Shape Raglan Armholes and Neck:** Cast off at beg of next 2 rows

2 3 3 3 3 sts Next row: Sl 1 knitwise, p 1, k 2 tog, then k 33 35 37 40 42 sts turn.

Next row: P to the last st, k 1.

Now dec 1 st at the neck edge on the next and every following 4th row at the same time cont to dec at armhole edge on every right side row as before. Cont thus until all sts have been worked off needles.

Rejoin wool at centre front and work other side to correspond, remembering that shapings at armhole edge on this side will be worked as sl 1, k 1, pssso.

**NECKBAND:** Sew raglan sleeves neatly into armholes, leaving left back seam open. Using No 10 needles, contrasting wool and with rsf, k across the sts from safety pin at left

sleeve top, then pick up and k

41 45 47 51 55 sts down front edge, picking up the last st from centre front. Mark this centre st with a piece of contrasting wool, then pick up and k

40 44 46 50 54 sts up other side of neck, k across the rem sleeve sts, then k across back neck sts

119 129 135 145 155 sts Now work as follows:—

**1st row:** \* k 1, p 1, rep from \* until 2 sts from centre marked st, p 2 tog, tbs, k 1, p 2 tog, then p 1, k 1 alternately to end.

**2nd row:** Work in rib as now set until 2 sts from centre marked st; k 2 tog, p 1, sl 1, k 1, pssso, rib to end.

Rep 1st row once again. Break off contrasting wool, join in main wool and knit the next row.

Now rep the 1st and 2nd rows 3 more times, then the 1st row once.

Cast off loosely in rib, working a set of decreases to correspond with the others on the casting off row.

**NECKBAND** (omitting contrasting band): Pick up sts as given for band, and, using main wool, work the 1st and 2nd rows of neckband 5 times, work the 1st row once, then cast off loosely, working a set of decreases in casting off row at centre.

**TO MAKE UP:** Join remaining raglan seam. Join side and sleeve seams. Press seams.

### V-NECK CARDIGAN

#### MATERIALS:

1st	2nd	3rd	4th	5th
Size	Size	Size	Size	Size
Fontana 4-ply				
7	8	9	9	10
ozs				
or Fontana Fleknit				
9	9	10	10	12
ozs				
or Fontana Silvertone				
6	7	7	8	8
ozs				
1 pair each Nos 10 and 12 Paragon knitting needles. 6 buttons for V Neck style. 9 buttons for Button to Neck style.				

**MEASUREMENTS:** (Easy fitting garments)

Chest

26 28 30 32 34 ins Length

15½ 17 18½ 19½ 20½ ins Sleeve seam

13 15 16 16½ 17 ins **TENSION:** 7 sts to 1 inch in width.

**THE BACK:** Using No 12 needles cast on

97 103 109 113 119 sts and work in single rib as follows:—

**1st row:** K 1, \* p 1, k 1, rep from \* to end.

**2nd row:** P 1, \* k 1, p 1, rep from \* to end.

Rep these 2 rows until work measures

2¼ 2½ 2¾ 3 3½ ins ending with a 2nd row.

Change to No 10 needles and work in stst, first row k, inc

4 4 6 8 10 sts evenly over the first row. There are now on needle

101 107 115 121 129 sts Cont in stst until work measures

9½ 10 11 11½ 12 ins ending with a p row.

**Shape Raglan Armholes:** Cast off at beg of next 2 rows

3 4 4 4 5 sts Now work as follows:—

**1st row:** Sl 1 knitwise, p 1, k 2 tog, k until 4 sts rem, sl 1, k 1, pssso, p 1, k 1.

**2nd row:** Sl 1 knitwise, p to the last st, k 1.

Rep these 2 rows until there rem

29 31 33 35 37 sts Cast off.

**LEFT FRONT:** Using No 12 needles cast on

47 49 53 55 59 sts and work in rib as for back welt for

2¼ 2½ 2¾ 3 3½ ins ending with a 2nd row. Change to No 10 needles and work in stst, first row k, inc

2 3 3 4 4 sts evenly over the first row. There are now on needle

49 52 56 59 63 sts Cont in stst until work measures same as for back to armhole, ending with a p row.

**Shape Raglan Armhole and Front Slope:** Next row: Cast off

3 4 4 4 5 sts k to end.



Next row: P.

Now work as follows:—

**1st row:** Sl 1 knitwise, p 1, k 2 tog, k to end.

**2nd row:** Sl 1 knitwise, p to last st, k 1.

Rep these 2 rows twice more, then cont to dec at armhole edge, at the same time shape front slope by dec 1 st at front edge on next and every following 4th row until

13 14 15 16 17

decreases have been made at this edge. Keep the neck edge straight but cont to dec at armhole edge (as before) until 3 sts rem. Work the 3 sts tog, fasten off.

**RIGHT FRONT:** Work as given for the Left Front until the piece measures same as for back to armholes, ending with a k row.

Next row: Cast off

3 4 4 4 5 sts  
p to end.

Next row: Sl 1 knitwise, k until 4 sts rem, sl 1, k 1, pssso, p 1, k 1.

Next row: Sl 1 knitwise, p until 1 st rem, k 1.

Rep last 2 rows twice more, commence front shaping and work to correspond with opposite side.

**SLEEVES:** Using No 12 needles, cast on

49 51 53 57 59 sts

Work in rib as for back welt for

2½ 3 3 3 3½ ins  
ending with a 2nd row. Change to No 10 needles and work in stst, first row k, inc 1 st at both ends of first row. There are now on needles

51 53 55 59 61 sts

Cont in stst inc 1 st at both ends of every 6th row until there are

61 65 69 75 79 sts

Now inc at both ends of every 8th row until there are

77 81 87 91 97 sts

Cont straight until sleeve measures

13 15 16 16½ 17 ins

**Shape Top** (rsf): Cast off

2 3 3 3 4 sts  
at beg of next 2 rows.

**1st row:** Sl 1 knitwise, p 1, k 2 tog, k until 4 sts rem, sl 1, k 1, pssso, p 1, k 1.

**2nd row:** Sl 1 knitwise,

p to last st, k 1.

Rep these 2 rows until 7 sts rem, cast off.

**FRONT BORDER:** Sew sleeves neatly into raglan armholes (stretching sleeves to fit cast off edge at underarm). Mark the position of 6 buttons on the right front with pins, so that the first one is ½ in from lower edge, the last one just before commencement of front slope shaping and the rest evenly spaced between.

Using No 12 needles, cast on 13 sts and work in rib as for welt of back, making a buttonhole in the 5th row thus:—Rib 6, cast off 3, rib 4. On the following row cast on 3 sts to replace those cast off. Cont making buttonholes to correspond with pins, then cont in rib until the border is long enough to fit all round front and back neck edges (slightly stretched), cast off. Join neatly to front and back neck edges, buttonhole portion to right side for a girl, left side for a boy and joining so that the rib 4 side is joined to garment and the rib 6 side is on outside edge.

**TO MAKE UP:** Press lightly with a warm iron over a damp cloth, avoiding ribbings. Join side and sleeve seams. Press seams. Sew on buttons.

### BUTTON TO NECK

Work the back and sleeves as given for V neck cardigan.

**LEFT FRONT:** Work as given for Left Front of cardigan with V neck until the piece measures the same as for the back to armholes, ending with a p row.

**Shape Raglan Armholes:** Cast off

3 4 4 4 5 sts  
k to end.

Next row: P.

Next row: Sl 1 knitwise, p 1, k 2 tog, k to end.

Next row: Sl 1 knitwise, p to last st, k 1.

Rep the last 2 rows until 24 26 28 30 32 sts rem ending with a right side row.

**Shape Neck:** Next row: Cast off

5 6 7 8 9 sts  
work to end of row. Still shaping raglan armhole as before, dec 1 st at neck edge on every following alternate row 8 times. Cont to dec at armhole edge until all sts are worked off needle.

**RIGHT FRONT:** Work to correspond with Left Front with all shapings at opposite ends of the work. The decreasings on this armhole edge will be worked as sl 1, k 1, pssso (not k 2 tog).

**FRONT BORDERS:** Positioning the 1st button ½ in from the lower edge and the 9th in the centre of the neckband, space the remainder evenly between and mark with pins.

**RIGHT FRONT BORDER:** Using No 12 needles, cast on 13 sts and work in rib as for welt of back for 4 rows. Make a buttonhole in the next row as follows:—Rib 6, cast off 3, rib 4. On the following row cast on 3 sts to replace those cast off. Cont in rib, making further buttonholes to correspond with pins until 8 have been worked, then cont until border is long enough to fit to neck edge, (slightly stretched). Leave on a safety pin.

Work left border to correspond, omitting buttonholes. Press all pieces of work, omitting ribbings.

**NECKBAND:** Sew borders to front edges, joining so that the rib 4 side is joined to garment and the rib 6 side is on outside edge. Sew raglan sleeves neatly into armholes (stretching cast off edges of sleeve to fit cast off edges at underarm). Now, with rsf, and using No 12 needles, rib the 13 sts from the safety pin, pick up and k evenly around neck edges to opposite border

75 81 85 91 95 sts  
then rib the 13 sts from other safety pin. Work 1 in in rib, making a buttonhole to correspond with the others in the centre of neckband. Press all seams. Sew on buttons.